

## CAMP POLK MEADOW PRESERVE BIRD CHECKLIST, 2003-2008

A partnership between Deschutes Land Trust and East Cascades Bird Conservancy

ABUNDANCE CODES	Presence and Detectability	BREEDING STATUS	Breeding Behaviors
Abundant A	Present and likely to be detected in suitable habitat	Possible <i>poss</i>	Seen or heard in suitable habitat during breeding season
Common C	Usually present but not always detected, even in suitable habitat	Probable <i>prob</i>	Pair observed together, singing on >1 visit, defending territory, courting, visiting probable nest site
Uncommon U	Present half the time or unlikely to be detected	Confirmed <i>conf</i>	Nest building, carrying nesting material, distraction display, dependent fledglings, mating, carrying food presumably for young, entering/leaving nest or cavity, carrying fecal sac, nest with eggs or young
Occasional O	More often not present or difficult to detect		
Rare R	Rarely present or extremely difficult to detect		

COMMON NAME	BREEDING STATUS	WI	SP			SU	FA	NOTES		
		DEC-JAN	FEB	MARCH	APRIL	MAY	JUNE		JUL-AUG	SEP-NOV
<b>Herons to Vultures</b>										
<input type="checkbox"/> Great Blue Heron	<i>poss</i>		R	R	R	R	O	R	No known Sisters-area nest sites	
<input type="checkbox"/> Turkey Vulture	<i>poss</i>			C	U	U	R	O	Likely nests on canyon walls downstream	
<b>Waterfowl</b>										
<input type="checkbox"/> Canada Goose	<i>conf</i>	R	U	C	A	U		R	Usually nests in lower meadow	
<input type="checkbox"/> Wood Duck	<i>poss</i>				R	R			Nest box installed 2003, used by Am. Kestrel	
<input type="checkbox"/> Mallard	<i>conf</i>	R	U	C	C	U	U	O	Annual confirmed breeder, likely double-brooded	
<input type="checkbox"/> Cinnamon Teal	<i>prob</i>					R			Pair observed in breeding season	
<input type="checkbox"/> Green-winged Teal					R				Transient; nests at higher elevations	
<input type="checkbox"/> Barrow's Goldeneye				R					Transient; nests at higher elevations	
<input type="checkbox"/> Hooded Merganser			U		R				Transient; nests at higher elevations	
<input type="checkbox"/> Common Merganser		R							Known to nest downstream toward Deschutes R.	
<b>Raptors</b>										
<input type="checkbox"/> Osprey	<i>prob</i>				R	R			Utilizes creek for foraging	
<input type="checkbox"/> Bald Eagle	<i>prob</i>	R				O	R	R	"Flight area" for Cloverdale eagle pair; not nesting on property	
<input type="checkbox"/> Northern Harrier							R		Nests mostly east	
<input type="checkbox"/> Sharp-shinned Hawk	<i>poss</i>	R		O	R	R		R	May nest on or adjacent to property	
<input type="checkbox"/> Cooper's Hawk	<i>poss</i>				R	R	R		Known to nest within 3 mi.	
<input type="checkbox"/> Northern Goshawk				R					Two known nest sites <3 mi from Hindman Spring	
<input type="checkbox"/> Red-tailed Hawk	<i>conf</i>	C	C	C	C	U	A	C	Year-round resident; two pairs have nested	
<input type="checkbox"/> Rough-legged Hawk					R				Very rare transient; overwinters in Cloverdale	
<input type="checkbox"/> Golden Eagle	<i>poss</i>			R		R			Known to nest in canyon downstream	
<input type="checkbox"/> American Kestrel	<i>conf</i>	R				O	R		Nested in Wood Duck box in 2003	
<input type="checkbox"/> Merlin				R					Rare transient; overwinters widely in region	
<b>Gallinaceous Birds</b>										
Wild Turkey	<i>prob</i>						O	A	C	Common mid June to mid November; large families present
<input type="checkbox"/> Mountain Quail	<i>prob</i>				R	R				Pair seen and multiple birds heard calling simultaneously
<input type="checkbox"/> California Quail	<i>conf</i>	R	U	U	U	C	C	A	C	Year-round resident
<b>Rails &amp; Shorebirds</b>										
<input type="checkbox"/> Virginia Rail	<i>conf</i>	O	R	U	O	O	O	O	Probable year-round resident; juveniles observed annually	
<input type="checkbox"/> Sora	<i>prob</i>			R	O	O	O	U	Juveniles observed in breeding season	
<input type="checkbox"/> American Coot	<i>poss</i>				R	R	R		Single birds observed	
<input type="checkbox"/> Killdeer	<i>conf</i>			O	R	O	U		May nest on gravel bars or sandy upland near lower aspen grove	
<input type="checkbox"/> Spotted Sandpiper	<i>conf</i>					O	A	O	Likely annual nester	
<input type="checkbox"/> Long-billed Curlew						R			Vocalization detected from property N of Hindman Spring	
<input type="checkbox"/> Wilson's Snipe	<i>prob</i>	O	R	R	O	O	R	R	Possible year-round resident; recently split from Common Snipe	
<b>Doves &amp; Owls</b>										
<input type="checkbox"/> Rock Pigeon				R					Formerly named Rock Dove; nests in Cloverdale	
<input type="checkbox"/> Mourning Dove	<i>prob</i>				U	U	C	A	U	Likely nests annually on property
<input type="checkbox"/> Western Screech-Owl		R				R			R	Resident south of Camp Polk Rd., west of creek
<input type="checkbox"/> Great Horned Owl	<i>conf</i>		R	R	R		R		Possible year-round resident; has nested in past	
<input type="checkbox"/> Northern Pygmy-Owl	<i>prob</i>	R			R	R			R	Pair observed once in breeding season
<b>Nightjars to Kingfishers</b>										
<input type="checkbox"/> Common Nighthawk	<i>poss</i>					R	O		Birds foraging on property may nest above canyon	
<input type="checkbox"/> Vaux's Swift	<i>prob</i>					R	R		May nest in snags S of lower meadow; pairs observed	
<input type="checkbox"/> Anna's Hummingbird	<i>prob</i>				R	R	O		Territorial birds observed; possible range expansion	
<input type="checkbox"/> Calliope Hummingbird	<i>prob</i>				O	U	U		Likely nests on property and in seep area above lower meadow	
<input type="checkbox"/> Rufous Hummingbird	<i>conf</i>					R		U	Usually nests at higher elevations	
<input type="checkbox"/> Belted Kingfisher	<i>conf</i>	O		O	O	O	U	U	O	Nests in creek bank
<b>Woodpeckers</b>										
<input type="checkbox"/> Lewis's Woodpecker	<i>poss</i>					R			Common annual nester downstream and on steppe above canyon	
<input type="checkbox"/> Williamson's Sapsucker	<i>poss</i>			R	R			R	Transient; nests at higher elevations	
<input type="checkbox"/> Red-naped Sapsucker	<i>conf</i>				O	U	O	U	Annual confirmed breeder; nests in lower aspen grove	
<input type="checkbox"/> Red-breasted Sapsucker		O	R						R	Overwinters annually
<input type="checkbox"/> Downy Woodpecker	<i>prob</i>	U			R	O	O	O	O	Likely nests in lower aspen grove or Pond Springs area
<input type="checkbox"/> Hairy Woodpecker	<i>conf</i>	R	O	U	O	O	R	U	R	Year-round resident
<input type="checkbox"/> White-headed Woodpecker	<i>poss</i>	O	O	U	R	R				Transient; nests in ponderosa pine forest just west of property
<input type="checkbox"/> Northern Flicker	<i>conf</i>	U	O	A	A	U	C	A	A	Year-round resident

**CAMP POLK MEADOW PRESERVE BIRD CHECKLIST, 2003-2008**  
A partnership between Deschutes Land Trust and East Cascades Bird Conservancy

COMMON NAME	BREEDING STATUS	DEC-JAN	FEB	MARCH	APRIL	MAY	JUNE	JUL-AUG	SEP-NOV	NOTES
<b>Flycatchers</b>										
<input type="checkbox"/> Olive-sided Flycatcher	poss					R	R			Detected singing in successive years
<input type="checkbox"/> Western Wood-Pewee	conf					O	A	A	R	Annual confirmed breeder; multiple pairs around property perimeter
<input type="checkbox"/> Willow Flycatcher	prob					R	O			Pairs and singing observed
<input type="checkbox"/> Hammond's Flycatcher					R	R			R	Transient; nests at higher elevations
<input type="checkbox"/> Gray Flycatcher	prob				R	O			R	Nests in juniper and pine above canyon rim
<input type="checkbox"/> Dusky Flycatcher	poss					R	O	O	R	May nest on property, but mostly transient
<input type="checkbox"/> Cordilleran Flycatcher	conf					R	R	U		Debatable identification; could be Pacific-slope
<input type="checkbox"/> Say's Phoebe	conf		U	U	U	O	U	O	R	Annual confirmed breeder
<input type="checkbox"/> Ash-throated Flycatcher	conf					R	U	U		Nests in juniper above canyon
<input type="checkbox"/> Western Kingbird	prob				R					Nests annually in Cloverdale
<input type="checkbox"/> Eastern Kingbird	poss						R			Single detection, early June; possible range expansion
<b>Shrikes to Corvids</b>										
<input type="checkbox"/> Northern Shrike				R					R	Transient, overwinters in Cloverdale
<input type="checkbox"/> Cassin's Vireo	prob				R	R	R	O		May nest in lower aspen grove
<input type="checkbox"/> Warbling Vireo	conf					R	O	O	R	Multiple pairs may nest annually
<input type="checkbox"/> Steller's Jay	conf	C	A	C	C	U	C	A	C	Year-round resident
<input type="checkbox"/> Western Scrub-Jay	poss			O	R				R	Marked increase since 2001; possible range expansion
<input type="checkbox"/> Pinion Jay								R	R	Very transient local year-round resident
<input type="checkbox"/> Clark's Nutcracker	poss	R		R	R	O	R	U		Known to nest nearby, but usually at higher elevations
<input type="checkbox"/> Black-billed Magpie	conf	A	A	C	A	C	C		A	Annual confirmed breeder; year-round resident
<input type="checkbox"/> Common Raven	prob	O	U		U	O		U	U	Year-round resident
<b>Larks to Swallows</b>										
<input type="checkbox"/> Horned Lark					R					Very rare transient; single flyover record
<input type="checkbox"/> Tree Swallow	conf			R	C	C	C	O		Annual confirmed breeder
<input type="checkbox"/> Violet-Green Swallow	conf			O	U	U	U	O		May nest in canyon walls or rimrock
<input type="checkbox"/> N. Rough-winged Swallow	conf				O	U	U	U		Nests in creek bank
<input type="checkbox"/> Bank Swallow	conf					O	U	C		Annual confirmed breeder; nests in creek bank
<input type="checkbox"/> Cliff Swallow	conf				R	O	R			Has nested under eave of old house
<input type="checkbox"/> Barn Swallow	poss				R	R	O	O		Common local breeder; may nest in canyon rimrock
<b>Chickadees to Kinglets</b>										
<input type="checkbox"/> Mountain Chickadee	conf	U	U	U	U	O	R	C	C	Annual confirmed breeder; year-round resident
<input type="checkbox"/> Bushy-tit	conf		O	O	O	O	U	O	R	Annual confirmed breeder; likely year-round resident
<input type="checkbox"/> Red-breasted Nuthatch	conf	O	O	O	O	R	O	O		Probable year-round resident
<input type="checkbox"/> White-breasted Nuthatch	conf	O	O	R	R	R	R	O	R	Probable year-round resident
<input type="checkbox"/> Pygmy Nuthatch	conf	C	A	U	C	C	A	A	C	Annual confirmed breeder; year-round resident
<input type="checkbox"/> Rock Wren						R				Rare transient; single sight record
<input type="checkbox"/> Canyon Wren	conf	R	R	O	O	R	O		R	Year-round resident
<input type="checkbox"/> House Wren	conf				O	C	C	A	R	Annual confirmed breeder
<input type="checkbox"/> Winter Wren		U	U	O	R				O	Regular in winter
<input type="checkbox"/> Marsh Wren	poss			R		R			R	Rare transient
<input type="checkbox"/> American Dipper	conf	U	U	U	U	U	U	U	U	Annual breeder, at least double brooded; year-round resident
<input type="checkbox"/> Golden-crowned Kinglet	poss			R	R	R			O	Transient; nests at higher elevations
<input type="checkbox"/> Ruby-crowned Kinglet	prob	R	R	U	C	O			U	Transient; nests at higher elevations
<b>Thrushes</b>										
<input type="checkbox"/> Western Bluebird	conf		R	C	U	O	O	U	O	Has nested in box at mid-meadow
<input type="checkbox"/> Mountain Bluebird	prob				R					Rare transient; nests at higher elevations, overwinters to the east
<input type="checkbox"/> Townsend's Solitaire	conf	C	U	A	O	R		C	A	Enigmatic; usually nests at higher elevations
<input type="checkbox"/> Swainson's Thrush	poss					R				Rare transient; has likely bred at Indian Ford CG
<input type="checkbox"/> Hermit Thrush	poss				O	O			R	Transient; nests at higher elevations
<input type="checkbox"/> American Robin	conf	U	U	A	C	C	A	C	A	Annual confirmed breeder; year-round resident
<input type="checkbox"/> Varied Thrush		R		O	R				R	Regular in winter
<b>Starlings to Waxwings</b>										
<input type="checkbox"/> European Starling	conf		O	C	C	U	O			Annual confirmed breeder
<input type="checkbox"/> American Pipit					R					Very rare transient; single flyover record
<input type="checkbox"/> Cedar Waxwing	poss	R	O			R	R		R	Enigmatic; may nest in region

**CAMP POLK MEADOW PRESERVE BIRD CHECKLIST, 2003-2008**  
 A partnership between Deschutes Land Trust and East Cascades Bird Conservancy

COMMON NAME	BREEDING STATUS	MONTHS												NOTES
		DEC-JAN	FEB	MARCH	APRIL	MAY	JUNE	JUL-AUG	SEP-NOV					
<b>Warblers &amp; Tanagers</b>														
<input type="checkbox"/> Orange-crowned Warbler	<i>prob</i>				O	O							R	Transient; no known local nest sites
<input type="checkbox"/> Nashville Warbler	<i>prob</i>				R	R							R	Transient; nests from ponderosa pine forest westward
<input type="checkbox"/> Yellow Warbler	<i>prob</i>				R	U	A	C	O					Likely nests annually on property
<input type="checkbox"/> Yellow-rumped Warbler	<i>prob</i>			R	U	O	R		O					Nests commonly west of Sisters; "Myrtle" subspecies rare in April
<input type="checkbox"/> Black-thr. Gray Warbler	<i>poss</i>					R	R		R					May nest on slope above creek, NE boundary
<input type="checkbox"/> Townsend's Warbler	<i>prob</i>					R			R					Transient; nests at higher elevations
<input type="checkbox"/> Hermit Warbler						R								Very rare transient; nests at higher elevations
<input type="checkbox"/> MacGillivray's Warbler	<i>prob</i>				R	R								Transient; nests at higher elevations
<input type="checkbox"/> Common Yellowthroat	<i>prob</i>				R	O	O	O	R					Likely nests annually on property
<input type="checkbox"/> Wilson's Warbler	<i>prob</i>				R	C	O		R					Female observed visiting probable nest site
<input type="checkbox"/> Western Tanager	<i>poss</i>			R		O	R		R					Transient; nests at higher elevations
<b>Sparrows &amp; Allies</b>														
<input type="checkbox"/> Spotted Towhee	<i>conf</i>	R	R	C	U	U	C	A	C					Year-round resident
<input type="checkbox"/> American Tree Sparrow					R									Very rare transient; not a confirmed record
<input type="checkbox"/> Chipping Sparrow	<i>conf</i>				R	O			O					Widespread regional breeder
<input type="checkbox"/> Vesper Sparrow					R									Rare transient, yet nests within 5 mi.
<input type="checkbox"/> Savannah Sparrow					R									Rare transient, yet nests within 5 mi.
<input type="checkbox"/> Fox Sparrow				R	O	R			O					Mostly "Thick-billed" subspecies; nests within 5 mi.
<input type="checkbox"/> House Sparrow			O	O	O									Range extension from town? Seen less than 10% of time
<input type="checkbox"/> Song Sparrow	<i>conf</i>	O	U	C	A	C	U	C	C					Year-round resident
<input type="checkbox"/> Lincoln's Sparrow	<i>poss</i>				O	R			O					Common transient; nests at higher elevations
<input type="checkbox"/> White-crowned Sparrow	<i>prob</i>				U	O			O					Common transient; nests at higher elevations
<input type="checkbox"/> Golden-crowned Sparrow	<i>prob</i>	R	R		O	O			U					Pair observed visiting possible nest site; rare state breeder
<input type="checkbox"/> Dark-eyed Junco	<i>prob</i>	O	O	U	O	R		O	U					Common resident; may nest adjacent to property
<input type="checkbox"/> Black-headed Grosbeak	<i>conf</i>					C	A	C						Multiple pairs nest annually
<input type="checkbox"/> Lazuli Bunting						R								Rare transient; nests in grasslands to the north
<b>Icterids</b>														
<input type="checkbox"/> Red-winged Blackbird	<i>conf</i>		U	C	A	C	A	C	U					Annual confirmed breeder
<input type="checkbox"/> Western Meadowlark	<i>poss</i>			R	R	R	R		R					Regular transient; nests within 5 mi.
<input type="checkbox"/> Brewer's Blackbird	<i>prob</i>				U	U	C	U	R					Annual confirmed breeder
<input type="checkbox"/> Brown-headed Cowbird	<i>prob</i>				R	U	C	O						Likely nests annually
<input type="checkbox"/> Bullock's Oriole	<i>conf</i>					U	A							Multiple pairs breed annually
<b>Finches</b>														
<input type="checkbox"/> Cassin's Finch													R	Rare transient, although common in region
<input type="checkbox"/> House Finch	<i>prob</i>				O	R	R	R	O	O				Possible resident, likely annual breeder in juniper
<input type="checkbox"/> Red Crossbill	<i>poss</i>	R	R	R	R	R	R	O	O					Enigmatic; usually nests at higher elevations
<input type="checkbox"/> Pine Siskin	<i>prob</i>				R	O	R	U	R					Transient; nests mostly at higher elevations
<input type="checkbox"/> Lesser Goldfinch													R	Very rare transient; single flock flyover record
<input type="checkbox"/> American Goldfinch	<i>conf</i>	O	R	R	R	O	O	U						Nests annually at lower aspen grove
<input type="checkbox"/> Evening Grosbeak		R		O	O	R								Transient; nests at higher elevations

*Please report sightings to the compiler. Thank you!*